

# Keep your heart healthy



British Heart  
Foundation

BEATING HEART DISEASE TOGETHER

## About the British Heart Foundation

The British Heart Foundation (BHF) is the nation's heart charity, saving lives through pioneering research, patient care and vital information.

### What you can do for us

**We rely on donations of time and money to continue our life-saving work.** If you would like to make a donation, please:

- call our donation hotline on **0300 330 3322**
- visit **bhf.org.uk/donate**, or
- post it to us at the address on the back cover.

If you wish to make a gift to the BHF in your will, call **0844 847 2787** or email **legacy@bhf.org.uk** and ask for our free booklet, *My generation*.

For other ways to support our work, see **bhf.org.uk/supportus**

You may find other useful information on our website at:

**bhf.org.uk**

# Contents

---

About this booklet .....	4
What are coronary heart disease and stroke? .....	5
What increases my risk of coronary heart disease and stroke? .....	9
Having a health check .....	11
How can I reduce my risk of coronary heart disease and stroke? .....	13
Smoking .....	14
Blood pressure .....	17
Cholesterol .....	20
Physical activity .....	24
Weight and body shape .....	27
Diabetes .....	32
Healthy eating for your heart .....	35
Other things you can do .....	43
Family history .....	46
A final word .....	48
For more information .....	49
Index .....	53
Have your say .....	55

## About this booklet

---

This booklet aims to help you look after your heart health and reduce your risk of developing cardiovascular disease.

The term 'cardiovascular disease' covers all diseases of the heart and circulation, including **coronary heart disease** (angina and heart attack) and **stroke**. It is sometimes called 'heart and circulatory disease'. **This booklet focuses on coronary heart disease and stroke.**

The booklet is for people who do not already have a heart condition. If you do have a heart condition, you may find it more useful to read some of our other booklets, listed on page 50, which have been specially written for people with heart conditions.

In this booklet we explain:

- what coronary heart disease and a stroke are
- the factors that can increase your risk of developing coronary heart disease or of having a stroke
- what a health check is and what the results mean, and
- the everyday lifestyle changes you can make to reduce your risk of coronary heart disease and stroke.

This booklet does not replace the advice that your doctor or nurse may give you, but it should help you to understand what they tell you.


# What are coronary heart disease and stroke?

---

## Coronary heart disease

Coronary heart disease can cause the symptoms of **angina** and can lead to a **heart attack**. It begins when the coronary arteries (the arteries that supply oxygen-rich blood to the heart muscle) become narrowed by a gradual build-up of fatty material within their walls. This condition is called atherosclerosis and the fatty material is called atheroma.

### How atheroma builds up



*When fatty material builds up in the arteries, the arteries become narrow and it is more difficult for the blood to flow through them.*

## Angina

In time, your arteries may become so narrow that not enough blood can flow through to your heart muscle. This can cause **angina**. Angina is a symptom of coronary heart disease. It is the chest pain or discomfort you feel when your arteries cannot deliver enough blood to your heart muscle.

For more information on angina, see our booklet *Angina*.

## Heart attack

A **heart attack** happens when a coronary artery becomes blocked by a blood clot. If the atheroma in your arteries becomes unstable, a piece of it may break off and lead to a blood clot forming. If the blood clot blocks your coronary artery and cuts off the supply of oxygen-rich blood to your heart muscle, your heart muscle may become permanently damaged. This is known as a heart attack (or myocardial infarction).

During a heart attack, you could develop a life-threatening heart rhythm which may lead to a cardiac arrest. This is when someone loses consciousness and stops breathing, and their heart stops pumping.

A heart attack is a medical emergency. If you ever think that you are having a heart attack, call 999 immediately for an ambulance.

For more information about heart attacks, see our booklet *Heart attack* and our leaflet *Heart attack? Know these symptoms*.

## Stroke

Every year, around 150,000 people in the UK have a stroke. That's one person every five minutes. It is estimated that in the UK there are about 1.2 million people who have had a stroke.

A stroke happens when the blood supply to part of the brain is cut off – for example, if a blood clot blocks an artery that carries blood to your brain.

Without a blood supply, brain cells can be damaged or destroyed, so a stroke may affect the way your mind or body functions.

## How to recognise if someone may be having a stroke – and what to do

If you suspect that you or someone else is having a stroke, you need to act **'FAST'**. To remember the signs of a stroke and what to do, think **'FAST'**.

**F**acial weakness – Can you smile? Has your mouth or eye drooped?

**A**rm weakness – Can you raise both arms?

**S**peech problems – Can you speak clearly and can you understand what others are saying?

**T**ime to call 999.

Sometimes the symptoms of a stroke can go away after a few minutes or hours and disappear within 24 hours. This is called a transient ischaemic attack or TIA (sometimes called a mini stroke). If you experience these symptoms or see them in someone else, don't ignore them. Call 999 immediately.

For more information, contact The Stroke Association on **0303 3033 100** or visit **[www.stroke.org.uk](http://www.stroke.org.uk)**

## What increases my risk of coronary heart disease and stroke?

---

A risk factor is something that increases your likelihood of getting a disease. There are several risk factors for coronary heart disease and stroke. The main ones are shown below.

- **Smoking.**
- **High blood pressure.**
- **High blood cholesterol.**
- **Physical inactivity.**
- **Being overweight or obese.**
- **Having diabetes.**
- **Having a family history of coronary heart disease or stroke.** This means if your father, mother, brother or sister has, or had, coronary heart disease or a stroke at a young age (under 65 for women or under 55 for men).
- **Your sex.** Men are more likely to develop coronary heart disease at an earlier age than women.
- **Age.** Your risk increases as you get older.
- **Ethnic background.** People from South Asian or black African backgrounds are at a higher risk of coronary heart disease and stroke. Some risk factors appear to have a greater effect on these people. For example,

those from South Asian backgrounds tend to put weight on around their middle, increasing their risk of coronary heart disease, stroke and diabetes.

The following factors may also increase your risk of developing coronary heart disease or having a stroke.

- **Poverty.** People on lower incomes are more exposed to the risk factors for coronary heart disease and stroke, and are less likely to make healthy lifestyle choices
- **How you deal with stress.**
- **High alcohol intake.**

The more risk factors you have, the more likely you are to develop coronary heart disease or have a stroke. And even though you can't change all of your risk factors – for example, you can't change your age – there is plenty you can do to reduce your risk of disease and protect your heart.

We explain more about what you can do to reduce your risk on pages 14 to 42.

## Having a health check

---

You can find out about your risk of developing coronary heart disease or having a stroke over the next ten years by having a **health check**.

You're entitled to a free health check if you're over 40 years old and you're not being treated for high cholesterol, high blood pressure, diabetes, coronary heart disease (which includes angina and heart attack), or chronic kidney disease. The health check is carried out by your doctor or practice nurse. Some pharmacies offer health checks, but you may have to pay for these.

A health check takes into account all the risk factors that may affect you, rather than focusing on just one thing such as your cholesterol level. This is because the more risk factors you have, the greater your chance of developing coronary heart disease or having a stroke.

The health check includes checking your blood pressure and cholesterol as well as an assessment of your lifestyle. Some health checks also include a pulse check.

If you have a health check with your doctor or nurse, they may give you a 'risk score'. This will give you an idea of your risk of developing coronary heart disease or having

a stroke, or of developing another disease of the heart or circulation.

For more information on health checks, see our booklet *Heart focus*.

## How can I reduce my risk of coronary heart disease and stroke?

---

Research shows that making changes to your lifestyle can have a major effect on reducing your risk of coronary heart disease and stroke.

Knowing about your risk factors – how they affect your health and how they increase your risk – may help you to make lifestyle changes and can help you to feel more in control of your heart health. On the next pages we explain more about each of the risk factors and what you can do about them.

For more information on how to reduce your risk of coronary heart disease and stroke, see our DVD *Risking it*. See page 49 for how to order a copy.

# Smoking

---

Smoking is one of the major causes of coronary heart disease and stroke.

## How does smoking damage your heart?

Smoking damages the lining of the arteries, and this can lead to the build-up of atheroma (fatty material) in the arteries.

The chemicals in cigarettes can have various effects on the heart. Carbon monoxide reduces the amount of oxygen that the blood can carry to the heart and around the body. Nicotine stimulates the body to produce adrenaline, which makes the heart beat faster and raises blood pressure, and causes the heart to work harder. Smoking may also make the blood more likely to clot. All of these things increase the risk of developing coronary heart disease or having a stroke.

## What is second-hand smoke?

Second-hand smoke – or passive smoking – is where non-smokers inhale other people's smoke. Research shows that regular exposure to second-hand smoke increases the risk of coronary heart disease by around 25%.

## What you can do

**Giving up smoking is the single most important thing you can do to improve your heart health.**

If you want to quit, you'll find it helps to have some extra support.

- Ask at your GP surgery if there is a nurse or counsellor who can help, or look for a local stop-smoking service, or contact one of the organisations listed on page 52.
- You could also ask your doctor or pharmacist about nicotine replacement therapy (NRT) or medicines that can help you quit.

## Practical tips to help you stop smoking

People who prepare and plan to stop smoking are much more likely to be successful.

### Make an action plan

- **Choose a date to give up** and stick to it.
- **Get support.** Tell your friends and family that you're quitting.
- **Keep yourself busy**, to help take your mind off cigarettes. Try to change your routine, and avoid the shop where you usually buy cigarettes.
- **Throw away all your tobacco, lighters and ashtrays.**
- **Treat yourself.** If possible, use the money you save by

not smoking to treat yourself to something special.  
For more information, see our booklet *Stop smoking*.

## Blood pressure

---

Blood pressure is the pressure of the blood in your arteries. You need a certain amount of pressure in your arteries to keep the blood flowing. Your heart pumps blood around the body through the arteries by contracting and relaxing.

Your blood pressure is written as two numbers – for example, 120/80mmHg. ('mmHg' stands for millimetres of mercury.) The first number is the systolic pressure and the second is the diastolic pressure.

Systolic blood pressure is the highest level your blood pressure reaches, when your heart contracts and blood is forced through the arteries.

Diastolic blood pressure is the lowest level your blood pressure reaches, when your heart relaxes between each beat.

The target for the general population is to have a blood pressure below 140/85mmHg. (For people who have coronary heart disease, diabetes or chronic kidney failure, the target is below 130/80.)

## What is high blood pressure?

High blood pressure – also called hypertension – is when your blood pressure is constantly higher than the recommended level. Having high blood pressure greatly increases your risk of having a heart attack or a stroke, and over time it can cause the heart to become abnormally large, or the pumping action of the heart to become less effective.

High blood pressure is said to be a ‘silent threat’, as there are usually no symptoms, and the only way of knowing if you have high blood pressure is to have your blood pressure measured. Your doctor or nurse will measure your blood pressure as part of your health check. (See page 11.)

## What causes high blood pressure?

The following can all contribute to high blood pressure.

- Physical inactivity.
- Being overweight or obese.
- Having too much salt in your diet.
- Drinking too much alcohol.
- Not eating enough fruit and vegetables.
- Your family history. If your parents, brothers or sisters have, or had, high blood pressure, you may have a greater chance of developing it too.

## What you can do

If you have high blood pressure, it is essential that you control it. Even reducing your blood pressure by a small amount can lower your risk of problems in the future.

Your doctor may prescribe some medicine for you, to help you control your blood pressure.

The following tips can help to reduce your blood pressure and protect your heart.

- Do more physical activity.
- Keep to a healthy weight.
- Cut down on salt.
- Cut down on alcohol.
- Eat more fruit and vegetables.

We explain more about how to do all these things on pages 24 to 44.

For more information, see our booklet *Blood pressure*.

# Cholesterol

---

Cholesterol is a fatty substance which is found in the blood. It is mainly produced by the liver. Cholesterol plays an essential role in how every cell in the body works. However, too much cholesterol in the blood can increase your risk of heart problems.

Cholesterol is carried around the body by lipoproteins. Lipoproteins are a combination of cholesterol and proteins. There are two main types.

- **LDL** (low-density lipoproteins) is the **harmful** type of cholesterol. This is sometimes called LDL cholesterol.
- **HDL** (high-density lipoproteins) is a **protective** type of cholesterol. It is sometimes called HDL cholesterol.

Having too much harmful cholesterol in your blood can increase your risk of getting coronary heart disease or having a stroke. The risk is particularly high if you have a high level of LDL cholesterol and a low level of HDL cholesterol.

## What causes high cholesterol?

One of the causes of high blood cholesterol is eating too much saturated fat. (On page 39 we give examples of foods that contain saturated fat.)

However, some people have high blood cholesterol even though they eat a healthy diet.

For example, they may have inherited a condition called familial hypercholesterolaemia (FH).

For more about this, see our booklet *Inherited heart conditions: Familial hypercholesterolaemia*.

## Triglycerides

Triglycerides are another type of fatty substance in the blood. People with a high triglyceride level have a greater risk of developing coronary heart disease or having a stroke.

Triglycerides are found in foods from animal sources, like dairy products and meat. People who are overweight, or who eat a lot of fatty and sugary foods, or who regularly drink too much alcohol, are more likely to have high triglyceride levels.

## How are cholesterol and triglyceride levels measured?

Your doctor or nurse will take a blood test to measure your total cholesterol, LDL and HDL, and triglyceride levels. These are measured in units called millimols per litre of blood (mmol/l). This blood test will be done as part of your health check.

## What you can do

To help reach a healthy cholesterol level and reduce your risk of coronary heart disease and stroke, you need to do the following.

- **Cut right down on saturated fats** and replace them with monounsaturated and polyunsaturated fats.
- **Reduce the total amount of fat you eat.**
- **Cut down on foods containing trans fats.**

We explain more about all these different types of fats and which foods they are found in on page 36.

Also, taking part in regular physical activity can help to increase your HDL cholesterol (the 'protective' type of cholesterol).

## Will I need to take cholesterol-lowering medicine?

Your GP may prescribe cholesterol-lowering medicine for you, such as statins. Whether you need to take medicine to lower your cholesterol depends not just on your cholesterol level, but also on your overall risk of cardiovascular disease. For example, if you don't have a high cholesterol level, but you do have a high overall risk of cardiovascular disease, it is likely that you will benefit from taking cholesterol-lowering medicine to protect your heart.

For more information, see our booklets *Reducing your blood cholesterol* and *Eating well*, and our leaflet *Cut the saturated fat*.

## Physical activity

---

Physical activity has many benefits, both for your heart and for your general wellbeing. It helps to:

- lower your blood pressure
- improve your cholesterol levels
- control your weight and body shape
- reduce the risk of diabetes or help control diabetes
- relieve stress and anxiety and help you look and feel good
- prevent blood clotting
- improve muscle and bone strength, and
- reduce the risk of certain types of cancer.

In England, about seven in every ten adults don't do enough physical activity to benefit their health.

### What you can do

The best activity for your heart health is moderate-intensity rhythmic (aerobic) activity – for example, brisk walking, cycling or swimming. 'Moderate-intensity' means that it should make you feel warm and breathe more heavily than usual, but you should still be able to talk.

**Aim to do at least 30 minutes of moderate-intensity physical activity a day, on five or more days a week.**

You can do the 30 minutes either all in one go or in several shorter bouts of about 10 minutes at a time. However, if you're not used to doing this amount of physical activity, it is important that you build up to this level over a period of time.

Try building activity into your daily routine. Choosing a mixture of activities will help keep you motivated. Some good options include:

- taking the stairs instead of the lift or escalator
- gardening and housework
- walking as much as possible in your lunch break
- getting off the bus or train one stop earlier when you go to work or do the shopping, and
- getting an exercise DVD and doing it at home.

To find out about local walking groups, leisure centres and exercise classes, ask at your local library or town hall.

### Whatever sort of exercise you do ...

- Build up your physical activity level gradually.
- Make sure you warm up before and cool down after each period of exercise. That means starting slowly for the first few minutes and building up gradually, and at the end, spending some time slowing down gradually.
- Avoid doing activities after a large meal, or in very hot or very cold temperatures, or at high altitudes.
- If you have any long-term illness, have high blood pressure, or are taking medicine, or if you're not sure about the level of exercise you should be doing, speak to your GP before you start exercising.
- Stop exercising if you feel tired, breathless or dizzy, or if you have pain or feel unwell, and contact your GP.

For more information, see our booklets *Get active, stay active* (if you're aged 35 to 50) or *Be active for life* (if you're over 50). You may also be interested in taking part in one of our BHF events, so see our **website [bhf.org.uk](http://bhf.org.uk)**

## Weight and body shape

---

The number of people in England who are overweight or obese is increasing rapidly. More than one in every four adults in England are obese. This is one of the highest rates of obesity in Europe.

If you're overweight or obese, you have a higher risk of developing coronary heart disease or of having a stroke. Keeping to a healthy weight and body shape can help to protect you against diabetes and high blood pressure, and also helps to control your cholesterol level.

Fatty and sweet foods are very high in calories. If you eat more calories than your body burns up, these extra calories are stored as fat, resulting in weight gain. You are even more likely to put this weight on if you are physically inactive.

### Are you a healthy weight and body shape?


You can measure your weight and body shape to find out if you are at an increased risk of developing coronary heart disease or of having a stroke.

#### Your weight

The chart on the next page is a guide for you to find out if you are an ideal weight – that is, a healthy weight for

your height. If you fall into the 'Overweight' or 'Very overweight' category in the chart, your health may be at risk.

Take a straight line up or down from your weight, and a line across from your height (without shoes). Put a mark where the two lines meet to find out if you are a healthy weight. This is only an approximate guide.



Adapted from the height/weight chart by kind permission of the Food Standards Agency

## Your body shape

Carrying too much weight around your middle increases your risk of developing coronary heart disease, stroke, high blood pressure and diabetes.

To find out if your body shape is increasing your risk of coronary heart disease or stroke, measure your waist with a tape measure. Your GP or nurse may do this as part of your health check.

To measure your waist yourself, find the midpoint between the bottom of your ribs and the top of your hips. For most people this is at the level of the tummy button. Breathe out normally and measure around your waist. Try to relax, and avoid breathing in while taking your measurement. Check your measurement in the box on the next page.

People of South Asian background are more likely to have a higher proportion of body fat to muscle than the rest of the UK population, and they also tend to carry this fat around their middle. This means that South Asians have a greater risk of developing problems such as coronary heart disease and stroke at a lower waist size than other people in the UK.

	Your health is <b>at risk</b> if you have a waist size of:	Your health is <b>at high risk</b> if you have a waist size of:
<b>Men</b>	Over 94 centimetres (about 37 inches)	Over 102 centimetres (about 40 inches)
<b>South Asian men</b>		Over 90 centimetres (about 35½ inches)
<b>Women</b>	Over 80 centimetres (about 31½ inches)	Over 88 centimetres (about 34½ inches)
<b>South Asian women</b>		Over 80 centimetres (about 31½ inches)

## What you can do

If you are overweight or if you have a waist size that shows you are at risk, it is important to make healthy lifestyle changes to reduce, or prevent any further increase in, your weight and waist size.

The best way to lose weight and reduce your waist size is to do the following.

- **Reduce your calorie intake.** You can do this by reducing portion sizes and cutting down on the amount of fat and sugar in your diet.
- **Increase your daily physical activity.** Physical activity helps you to burn calories, which will help you to lose weight.

We explain more about healthy eating on page 35. For

more information on how to increase the amount of physical activity you do, see page 24.

Try not to lose weight too quickly. Slow and steady weight loss – about one or two pounds (between a half and 1 kilo) a week – is healthier, and you're more likely to keep the weight off for good. Losing even a small amount of weight will benefit your health.

For more information on how to lose weight, see our booklet *So you want to lose weight ... for good*. Or, if you're very overweight, see our booklet *Take control of your weight*.

# Diabetes

---

Almost three million people in the UK have been diagnosed with diabetes. Diabetes is more common among men than among women, and becomes more common as people get older. Diabetes significantly increases the risk of developing coronary heart disease or having a stroke, and can cause other serious health problems too.

When we digest foods, our body produces glucose (sugar) which our cells use for energy. A hormone called insulin helps the glucose to enter the cells, which helps to control how much glucose is in the blood. Diabetes develops when the body doesn't produce enough insulin, or the insulin doesn't work effectively, leading to abnormally high levels of glucose in the blood.

**Type 1 diabetes** is when the body cannot make any insulin. This type of diabetes usually happens in children and young adults.

**Type 2 diabetes** is the more common type of diabetes. It happens when not enough insulin is produced, or when the insulin made in the body doesn't work properly. It tends to develop gradually as people get older – usually after the age of 40. It is closely linked with being

overweight and not being physically active. People are also more likely to develop this condition if there is a family history of diabetes.

**If you have diabetes, you are more likely to have a high cholesterol level and high blood pressure. Diabetes also increases the effect of some of the other risk factors for coronary heart disease and stroke – such as smoking and being overweight.**

Your risk of getting diabetes is greater if you're overweight, not physically active, or if you have a family history of diabetes. Your ethnic background may also be a factor. In the UK, South Asian and black African-Caribbean people have a higher risk of developing diabetes.

If you have a health check, your doctor or nurse may do a blood test to measure your glucose level, to check for diabetes.

## **What you can do**

**If you don't have diabetes**, you can greatly reduce your risk of developing it by controlling your weight (see page 27) and doing regular physical activity (see page 24).

**If you do have diabetes**, it is very important to make sure you control your blood glucose, and also your blood pressure and cholesterol. This will help to keep your risk of cardiovascular disease as low as possible. Doing more

physical activity, eating a healthy balanced diet, and controlling your weight and body shape, will all help to reduce your risk. (For information about all these, see pages 24 to 42.) If you are diagnosed with diabetes, you may also need to take a cholesterol-lowering medicine such as statins to help protect your heart.

For more information, see our booklet *Diabetes and your heart*.

## Healthy eating for your heart

---

In this section we explain how to eat a healthy, balanced diet to help protect your heart. The main points are as follows.

- **Eat plenty of fruit and vegetables.**
- **Choose healthier fats.**
- **Eat oily fish regularly.**
- **Cut down on the amount of salt you eat.**

We explain more about how to do all these things below.

### **Eat plenty of fresh fruit and vegetables**

Eating a healthy, balanced diet which includes at least five portions of a variety of fruit and vegetables a day will make sure that you get a combination of vitamins and minerals to help keep you healthy.

#### **What you can do**

Eat a wide variety of fruit and vegetables. They can be fresh, frozen, chilled, canned, dried, cooked or raw.

There is no evidence that taking vitamin tablets or supplements has the same benefits as eating fruit and vegetables.

## Choosing healthier fats

Foods containing fat contain a combination of **saturated fats**, **monounsaturated fats** and **polyunsaturated fats**.

Choosing healthier fats can help to protect your heart.

But remember that all fats are high in calories. So, if you are watching your weight, you should limit the amount of all the fats you eat.

### What you can do

- **Reduce the total amount of fat you eat** by cutting down on foods such as pastries and fatty crisps, and replacing them with healthier fruit and vegetables. Fill up on wholegrain versions of starchy foods instead, such as bread, rice, and pasta.
- **Cut down on saturated fats** such as butter, cheese, sausages and fatty meats, which raise cholesterol levels. Replace them with healthier monounsaturated and polyunsaturated fats. See page 38 for examples of foods containing all these fats.
- **Cut down on foods containing trans fats** as they can increase your total cholesterol and LDL cholesterol levels. Trans fats are formed when vegetable oils are 'hydrogenated' and can be found in processed foods like some cakes, biscuits, crackers and hard margarines.

Foods that have 'hydrogenated oil or fat' or 'partially hydrogenated oil or fat' in the list of ingredients are likely to contain trans fats. Trans fats are also found naturally in very small amounts in dairy foods and meat.

### Using food labels

Reading the labels on food packaging will help you to understand the nutritional value of the food and help you to make healthy food choices.

To find out if a product has 'a lot' or 'a little' fat and saturated fat, look at the nutrition information label. Compare the 'per 100g' figures with the information below.

This is a <b>lot</b> (per 100 grams of food):	This is a <b>little</b> (per 100 grams of food):
20 grams of <b>fat</b> or more	3 grams of <b>fat</b> or less
5 grams of <b>saturates</b> or more	1.5 grams of <b>saturates</b> or less

## Choosing healthier fats

To help protect your heart, you need to cut down on saturated fats and trans fats and replace them with monounsaturated and polyunsaturated fats.

Omega-3 fats are good for your heart too.

	Unsaturated fats	
	Monounsaturated fats	Polyunsaturated fats
<b>Which foods are these fats found in?</b>	<p>Found in:</p> <ul style="list-style-type: none"><li>• olive oil and rapeseed oil</li><li>• avocado</li><li>• nuts and seeds (almonds, cashews, hazelnuts, peanuts and pistachios).</li></ul> <p>Some spreads are made from monounsaturated fats.</p>	<p>Found in:</p> <ul style="list-style-type: none"><li>• corn oil, sunflower oil and soya oil</li><li>• nuts and seeds (walnuts, pine nuts, sesame seeds and sunflower seeds).</li></ul> <p>Some spreads are made from polyunsaturated fats.</p>

	<b>Saturated fats</b>	
<b>Omega-3 fats</b>	<b>Saturated fats</b>	<b>Trans fats</b>
<p>Found in:</p> <ul style="list-style-type: none"> <li>• fish oil</li> <li>• oily fish such as herring, mackerel, pilchards, sardines, salmon, trout and fresh tuna.</li> </ul> <p>See page 40 for more about omega-3 fats from sources other than fish.</p>	<p>Found in:</p> <ul style="list-style-type: none"> <li>• butter</li> <li>• hard cheese</li> <li>• whole milk</li> <li>• fatty meat</li> <li>• meat products</li> <li>• biscuits</li> <li>• cakes</li> <li>• cream</li> <li>• lard</li> <li>• dripping</li> <li>• suet</li> <li>• ghee</li> <li>• coconut oil</li> <li>• palm oil</li> <li>• pastry</li> </ul>	<p>Found in:</p> <ul style="list-style-type: none"> <li>• pastries</li> <li>• cakes</li> <li>• biscuits</li> <li>• crackers</li> <li>• fried foods</li> <li>• takeaways</li> <li>• hard margarines.</li> </ul> <p>Foods that have 'hydrogenated oils or fats' or 'partially hydrogenated oils or fats' in the list of ingredients are likely to contain trans fats.</p>

## Eat oily fish regularly

Eating oily fish regularly can help reduce the risk of coronary heart disease and stroke, and help protect your heart. Oily fish provides a rich source of a particular type of omega-3 polyunsaturated fat. This type of fat is found mainly in fresh and canned oily fish such as herring, mackerel, pilchards, sardines, trout and salmon, and in fresh tuna (but not canned tuna).

### What you can do

**Aim to eat at least two portions of fish a week. One of the portions should be oily fish.** (One portion of fish is 140 grams or 5 ounces of fish.)

## Cutting down on salt

People who have a lot of salt in their diet are more likely to have high blood pressure. Most people eat far more salt than they need. It is recommended that adults have no more than 6 grams of salt a day – that's about one teaspoonful.

It is the sodium in salt that contributes to high blood pressure. There is sodium in all types of salt, whether it's salt in grains, crystals or flakes.

## What you can do

- **Cut down on processed foods that contain a lot of salt.** Three-quarters of the salt we eat is hidden in processed foods such as ready meals, packet and canned soups, instant noodles, ketchups and sauces, sausages and burgers, and salty savoury snacks. See *Using food labels* below, to find out how much salt a food contains.

### Using food labels

To find out if a product has 'a lot' or 'a little' salt or sodium, look at the nutrition information label.

Compare the 'per 100g' figures with the information below.

This is <b>a lot</b> (per 100 grams of food):	This is <b>a little</b> (per 100 grams of food):
1.5 grams of <b>salt</b> or more	0.3 grams of <b>salt</b> or less
0.6 grams of <b>sodium</b> or more	0.1 grams of <b>sodium</b> or less

- Don't add salt to your food at the table.
- Cook without adding any salt. Use extra pepper, herbs, garlic, spices or lemon juice to add flavour to your food instead.

Within a few weeks, your taste buds will change and you will get used to less salt and appreciate other flavours more.

For more information, see our booklets *Cut down on salt*, *Salt made simple*, and *Guide to food labelling*.

## Other things you can do

---

### Alcohol

If you drink alcohol, make sure you drink within the recommended limits and avoid binge-drinking. It is better to have just a small amount regularly rather than large amounts in one go.

- **Men** should not regularly drink **more than 3 to 4 units of alcohol a day.**
- **Women** should not regularly drink **more than 2 to 3 units of alcohol a day.**

These guidelines apply whether you drink every day, once or twice a week, or just occasionally.



#### 1 unit of alcohol =

- a small glass (100ml) of wine (10% ABV [alcohol by volume])
- or half a pint (about 300ml) of normal-strength lager, cider or beer (for example, 3.5% ABV)
- or a pub measure (25ml) of spirits.

To work out how many units of alcohol you're drinking, use our interactive alcohol unit calculator at [bhf.org.uk/alcoholcalculator](https://www.bhf.org.uk/alcoholcalculator)

Moderate drinking – 1 or 2 units of alcohol a day – may offer some protection from coronary heart disease for some people. However, if you don't already drink alcohol, there is no need for you to start, as there are much healthier ways to look after your heart.

Drinking more than the recommended limit does not protect the heart and can lead to damage to the heart muscle, high blood pressure, stroke and some cancers. Alcohol is high in calories too, so it can lead to weight gain.

## Reducing stress

Challenges can help to keep us motivated, but when we feel unable to cope with the high demands that are placed on us, we experience stress. Feeling isolated can make you feel even more stressed.

The way you deal with stress can encourage unhealthy behaviour, such as smoking, drinking too much alcohol, eating unhealthily or being less physically active. These can all increase your risk of developing coronary heart disease or having a stroke.

It's important to learn how to relax and deal with stress effectively. Here are some tips to help.

- Try to identify situations that make you feel stressed, and avoid them if you can.

- Be realistic about what you can achieve and learn to say 'no' to unnecessary demands.
- Doing something active – such as going for a brisk walk or a run – can help you let off steam.
- Try relaxation techniques or join a yoga class.
- If you feel overwhelmed, talk to a friend or a partner, or ask your GP for advice.

For more information, see our booklet *Coping with stress*.

## Family history

---

If you have a family history of coronary heart disease or stroke, you may have an increased risk of developing the disease or of having a stroke yourself. A family history means if your father, mother, brother or sister developed coronary heart disease or had a stroke at a young age (under 65 for women, and under 55 for men).

Family behaviour can be a factor too. Lifestyle habits, such as a poor diet or smoking, can sometimes be passed on in families.

Genes may also play a role in the risk of developing coronary heart disease or having a stroke, although more research is needed to understand this. No single gene has been identified as being responsible, and it is likely that several genes may have a role. There is no genetic test available to find out if the risk of coronary heart disease and stroke runs in families.

### What you can do

If coronary heart disease or having a stroke runs in your family, you need to make an extra effort to reduce your other risk factors. It's vital to control your weight, eat healthily, take regular physical activity and avoid smoking. (See pages 24 to 42.)

Tell your doctor if you have a family history of coronary heart disease or stroke, as he or she may want to check your blood pressure or carry out a health check. You can't change your family background, but you can choose your lifestyle!

## A final word

---

It's never too late to change your lifestyle and protect your heart – or to prevent your heart problem from getting worse. To begin with, if you are over 40, and you are not already being treated for heart and circulatory disease or any of the risk factors for it, make an appointment with your GP or practice nurse today to have a health check.

Whatever your age, do see your GP if you think you may have any of the risk factors we discuss in this booklet.

And why not look back at the risk factors on page 9 and start tackling the one thing you want to change the most?

Your health is important. Coronary heart disease is the most common cause of death in the UK. Take action to protect your heart now.

## For more information

---

### British Heart Foundation website

**bhf.org.uk**

For up-to-date information on heart disease, the BHF and its services.

### Heart Helpline

**0300 330 3311** (a similar cost to 01 and 02 numbers)

For information and support on anything heart-related.

### Genetic Information Service

**0300 456 8383** (a similar cost to 01 and 02 numbers)

For information and support on inherited heart conditions.

### Booklets and DVDs

**To order our booklets or DVDs:**

- call the BHF Orderline on **0870 600 6566**, or
- email **orderline@bhf.org.uk** or
- visit **bhf.org.uk/publications**

You can also download many of our publications from our website. For a list of resources available from the BHF, ask for a copy of *Our heart health catalogue*. Our booklets are free of charge, but we would welcome a donation. (See page 2 for how to make a donation.)

## Heart Information Series

This booklet is one of the booklets in the *Heart Information Series*. The other titles in the series are as follows.

Angina

Atrial fibrillation

Blood pressure

Cardiac rehabilitation

Caring for someone with a heart condition

Coronary angioplasty

Diabetes and your heart

Having heart surgery

Heart attack

Heart rhythms

Heart transplantation

Heart valve disease

Implantable cardioverter defibrillators (ICDs)

Keep your heart healthy

Living with heart failure

Medicines for your heart

Pacemakers

Peripheral arterial disease

Physical activity and your heart

Primary angioplasty for a heart attack

Reducing your blood cholesterol

Returning to work with a heart condition

Tests for heart conditions

## Heart Matters

Heart Matters is the BHF's **free**, personalised service to help you live with a healthy heart. Join today and enjoy the benefits, including *heart matters* magazine, a Heart Helpline and an online members' area with articles, recipes and lifestyle tips. You can join online at **bhf.org.uk/heartmatters** or call **0300 330 3300** (a similar cost to 01 and 02 numbers).

## Emergency life-support skills

### Heartstart

For information about a free, two-hour course in emergency life-support skills, contact **Heartstart** at the British Heart Foundation. The course teaches you to:

- recognise the warning signs of a heart attack
- help someone who is choking or bleeding
- deal with someone who is unconscious
- know what to do if someone collapses, and
- perform cardiopulmonary resuscitation (CPR) if someone has stopped breathing and his or her heart has stopped pumping.

## Useful organisations

### Blood Pressure Association

Phone: 0845 241 0989

[www.bpassoc.org.uk](http://www.bpassoc.org.uk)

### Diabetes UK

Phone: 0845 120 2960

[www.diabetes.org.uk](http://www.diabetes.org.uk)

### NHS Smokefree

Phone: 0800 022 4 332

[www.smokefree.nhs.uk](http://www.smokefree.nhs.uk)

Find your local NHS stop smoking service.

### Quit

Phone: 0800 00 22 00

[www.quit.org.uk](http://www.quit.org.uk)

Quit offers a stop-smoking helpline in English and in various other languages.

### The Stroke Association

Phone: 0303 3033 100

[www.stroke.org.uk](http://www.stroke.org.uk)

# Index

---

activity .....	9, 24
alcohol .....	43
angina .....	5, 6
atheroma .....	5
blood pressure .....	9, 17
cardiovascular disease .....	4
cholesterol .....	9, 20
coronary heart disease .....	5
diabetes .....	9, 32
eating .....	35
ethnic background .....	9, 33
exercise .....	9, 24
family history .....	9, 46
fats .....	22, 36, 38
fish .....	40
fruit .....	35
health check .....	11
healthy eating .....	35
heart attack .....	5, 6
Heartstart .....	51
lifestyle .....	13
medicines .....	19, 22
obesity .....	9, 27
oily fish .....	40
overweight .....	9, 27

physical activity .....	9, 24
risk .....	9, 10
risk factors .....	9
risk score .....	11
salt .....	19, 40
saturated fats .....	22, 36, 39
shape (body shape) .....	27, 29
smoking .....	9, 14
stress .....	10, 44
stroke .....	7
triglycerides .....	21
vegetables .....	35
waist .....	29
weight.....	9, 27

## Have your say

---

We would welcome your comments to help us produce the best information for you. Why not let us know what you think? Contact us through our website at **[bhf.org.uk/contact](http://bhf.org.uk/contact)**. Or, write to us at the address on the back cover.

## Acknowledgements

The British Heart Foundation would like to thank all the GPs, cardiologists and nurses who helped to develop the booklets in the *Heart Information Series*, and all the patients who commented on the text and design.

We are the nation's heart charity, dedicated to saving lives through pioneering research, patient care, campaigning for change and by providing vital information. But we urgently need your help. We rely on your donations of time and money to continue our life-saving work. Because together we can beat heart disease.



**bhf.org.uk**

 **Heart Helpline**  
**0300 330 3311**  
**bhf.org.uk**

Information & support on anything heart-related. Phone lines open 9am to 5pm Monday to Friday.  
Similar cost to 01 or 02 numbers.

British Heart Foundation  
Greater London House  
180 Hampstead Road  
London NW1 7AW  
T 020 7554 0000  
F 020 7554 0100